

PRODUCTS

 Accessories

- Multimeters
- Voltage Testers
- Clamp Meters
- Loggers
- Insulation Testers
- Earth Testers
- LOOP/PFC/PSC Testers
- RCD Testers
- Multi Function Testers
- Combi Tester
- Portable Appliance Testers
- Power Meters
- Sensors, Multi-Trans, Clamp Adaptors
- Others
- Accessories
- Discontinued Products

 Test Leads

 Case

 Clip etc.

 Test Leads
MODEL 7019

• 1,500mm

MODEL 7060

- Temperature Probe
- 1,200mm

MODEL 7067**MODEL 7025**

• 1,500mm

MODEL 7066A

- Test leads
- 1,100mm

MODEL 7073

Applicable
model
5402D

Applicable
models

3001B
3111V
3165
3166
6015

Applicable
models
1110
2608A

Applicable
models

1009 2027
1011 2040
1012 2046R
1110 2055
2004 2056R
2006 2412
2007A 2608A
2017

Applicable
model
2805

Applicable
models

2413F
2413R



- 1,100mm

MODEL 7081B



- Test Lead for Grand Terminal
- 1,500mm

MODEL 7083



- Lead for Battery Charging
- 5,200mm

MODEL 7095A

Applicable
models
3321A

Applicable
model
3124

Applicable
models
4102A
4102A-H



- 2WAY Output Cord
- 2,120mm

MODEL 7082



- Lead of Recorder
- 1,100mm

MODEL 7084



- Earth and guard leads
- 5,000mm

MODEL 7100A

Applicable
model
3124

Applicable
model
3124

Applicable
models
4102A
4102A-H



4105A
4105A-H
6018

- Earth resistance test leads
- Green:5m, Yellow:10m, Red:20m



4105A
4105A-H
6018

- Consists of
7095A (Earth resistance test leads)
8032 (Auxiliary earth spikes)
8200-03 (Cord reels [3pcs])
9091 (Carrying case for cord reels)

MODEL 7103A/7139A



Applicable
models
7103A 7139A
3021 3161A
3022
3023
3321A
6018

- Test leads with remote control switch
- Line 1,000mm / Earth 1,550mm

MODEL 7107A



Applicable
models
2002PA
2002R
2003A
2009R
2200

- Test leads
- 1,100mm

MODEL 7115/7116



Applicable
models
7115 7116
3021 3161A
3022
3023
3321A
6018

- Extension Probe
- 1,000mm

MODEL 7121B



Applicable
models
4116A
4118A
4120A
5406A
6050
6200
6202

- Simplified measurement probe
- 1,550mm

MODEL 7122B

MODEL 7123/7124/7125/7126



- Test leads
- 1,220mm

Applicable models

3005A
3007A
3131A
3132A
6010A
6010B
6011A



Plug



Applicable models

7123	7124
6201	4116A
6201A	4118A
	4120A
	5406A
7125	7126
6050	4116A
6200	4118A
6202	4120A
	5406A

- 1,500mm
- 7123: (AU) Australian plug
- 7124: (UK) British plug (13A)
- 7125: (EU) European SHUKO plug
- 7126: (SA) South African plug

MODEL 7127A

- Simplified measurement probe
- 1,580mm

Applicable models

4102A
4102A-H
4105A
4105A-H

MODEL 7128A

- Test leads
- 1,390mm

Applicable model

5410

MODEL 7129A

Applicable models

5410
6200
6201A
6202

MODEL 7132A

Applicable models

6011A



- Test lead with alligator clip
- 1,450mm

MODEL 7133B



- External earth probe
- 1,200mm

MODEL 7141B

Applicable
models

6010A
6010B
6011A



- Distribution board test leads
- 1,500mm

MODEL 7146

Applicable
models

6300
6305
6310
6315



- Voltage test lead set
- 3,000mm

MODEL 7148

Applicable
models

8121 8128
8122 8141
8123 8142
8124 8143
8125 8146
8126 8147
8127 8148



- Banana Ø4 Adjuster Plug
- 190mm

MODEL 7149A/7150A

Applicable
models

5000
5001
5010
5020
6300
6305
6310



- USB cable
- 2,000mm

MODEL 7153B

Applicable
models

7149A 7150A

Applicable
models

1110 2046R
2004 2055



- Remote control switch set
7149A: 7139A+7161A+7131B+8017+9041
7150A: 7103A+7161A+7131B+8017+9120
- Line 1,000mm / Earth 1,550mm

3161A 3021
3022
3023
3321A



- Safety test leads
- 1,220mm

2006 2056R
2017 2412
2027 2608A
2040 2805

MODEL 7154B



- Safety test leads
- 1,220mm

Applicable models
1110 2412
2004 2608A
2006 2805
2017 3165
2027 3166
2040 6010A
2046R 6010B
2055 6016
2056R

MODEL 7155B



- Safety test leads with fuse

Applicable models
7153B
7154B

MODEL 7156B



- Safety test leads with fuse
- 1,220mm

Applicable models
1110 2412
2004 2608A
2006 2805
2017 3165
2027 3166
2040 6010A
2046R 6010B
2055 6016
2056R

MODEL 7157B



- Safety crocodile clips

Applicable models
7153B
7154B

MODEL 7158B

MODEL 7159B



- Safety crocodile clips for fuse

MODEL 7165A



- Line Probe
- 3,000mm

MODEL 7170



- Power cord
- 2,000mm

MODEL 7187A/7218A/7221A/7222A

Applicable models

3128
6300
6305
6310
6315

Applicable model

4140
6016



- Safety test leads with fuse
- 1,220mm

MODEL 7168A



- Line probe with alligator clip
- 3,000mm

MODEL 7185



- Extension cable
- 3,000mm

MODEL 7188A

Applicable models

5000 8127
5001 8128
5010 8141
5020 8142
8121 8143
8122 8146
8123 8147
8124 8148
8125 8309
8126

Applicable model

6016



Plug



7187A:UK plug 7218A:EU plug



7221A:SA plug 7222A:AU plug



- Power cord
- 1,230mm

MODEL 7196A

Applicable
model
6016


- Test leads with remote control switch
- 1,550mm

MODEL 7199

- Distribution board fuse test lead set
- 1,520mm

MODEL 7197

Applicable
models
8325F



* Cannot be used for MODLE 8309 of new type.
The difference between the new type and the old type is as per the following diagram.

old type



new type



- Small Clips adaptor
- 650mm
- Adaptor to convert the crocodile clips of the voltage sensor (8309) to smaller ones
- Can be connected to the M5 size screw used at the terminals of standard RCD/ELCB's.

MODEL 7210A



Applicable
model
8129

- Output cable
- 1,000mm



Applicable
model
1109S

- Test leads
- 1,040mm

MODEL 7220A



Applicable
model
1051
1052
1061
1062

- Test leads
- 1,080mm

MODEL 7224A



Applicable
model
3121A
3122A
3123A
3125
3126
3127
3128

- Earth cord
- 1,500mm

MODEL 7225A



Applicable
models
3121A
3122A
3123A
3125
3126
3127
3128

- Guard cord
- 1,500mm

MODEL 7226A



Applicable
model
3128

- Line probe
- 3,000mm

MODEL 7227A

Applicable
models

MODEL 7228A

Applicable
model

3128



- Line probe with alligator clip
- 3,000mm

MODEL 7229A

Applicable
models
4106

- Precision measurement test leads
- Red:40m, Green/Yellow/Black:20m

MODEL 7238A

Applicable
models
4106

- Simplified measurement test leads
- 1,570mm

MODEL 7248

6016



- Earth resistance test leads
- Green:5m, Yellow:10m, Red:20m

MODEL 7234

Applicable
models
1051
1052
1061
1062

- Crocodile clip test lead
- 1,080mm

MODEL 7246 / 7247

Applicable
models
4140

- Distribution board test lead
- 1,450mm
- 7246: Blue, Green, Red
- 7247: Black, Green, Red

MODEL 7253



Applicable
models
4300

- Test lead with alligator clip and flat test probe
- 2,000mm

MODEL 7254



Applicable
models
3128

- Longer Line probe with alligator clip
- 15m

MODEL 8216



Applicable
models
1011
2046R
2056R

- Temperature Probe
- 1,000mm

MODEL 8406



Applicable
models
3121A
3122A
3123A
3125
3126
3127

- Longer Line probe with alligator clip
- 15m

MODEL 7256



Applicable
models
2002PA
2002R
2003A
2009R
2010
2412
2500

- Output cord
- 1,200mm

MODEL 8405



Applicable
models
1051
1052
1061
1062

- Temperature Probe
- Approx. 1,400mm
- Max. 500°C, Surface type,
Point material: Ceramic

MODEL 8407



- Temperature Probe
- Approx. 1,380mm
- Max. 500°C, Surface type

Applicable
models

[1051](#)
[1052](#)
[1061](#)
[1062](#)



- Temperature Probe
- Approx. 1,540mm
- Max. 700°C, Liquid, Semi-solid

Applicable
models

[1051](#)
[1052](#)
[1061](#)
[1062](#)

MODEL 8408



- Temperature Probe
- Approx. 1,540mm
- Max. 600°C, Air, Gas


Applicable
models

[1051](#)
[1052](#)
[1061](#)
[1062](#)

MODEL KAMP10



Plug



AU : Australian plug
UK : British plug(13A)
EU : European SHUKO plug
SA : South African plug

- *Test Lead with IEC Connector
- 1,500mm

Applicable
models

[6010A](#)
[6010B](#)
[6011A](#)

Page Top